

KOMATSU®

ATTACHMENTS

**SKID STEER
LOADER
SK820-5E0**

**EPA TIER III
EU STAGE 3A**



Photos of the equipment are referential, may include optional equipment.

KOMATSU ATTACHMENTS TO MAXIMIZE YOUR PRODUCTIVITY

State of the art engineering and design have served as a base to develop Komatsu attachments. Therefore, the SK-series skid steer loaders are versatile, useful for multiple applications and exceed the features of off-road equipment.

The development of a wide range of attachments, 100% Komatsu original, custom-designed in the Italian factory, maximize and optimize the skid steer loader's usability.

Komatsu attachments convert the skid steer loader into a multifunctional equipment that can be used in a large number of tasks in the same project. The result is increased production and lower costs.

It also allows to increase the effective hours of utilization, operation and production of the equipment through the reduction of logistic costs and management concentration of the attachments.

All these products offer support (spare parts, maintenance and service), factory warranty and certifications that guarantee Komatsu's market leadership.

The design and quality of the attachments used in conjunction with the skid steer loader are a powerful tool that allow to undertake different works under the most demanding conditions while the Komatsu standards remain unaltered.



EXCAVATOR ARM

WITH VERTICAL HYDRAULIC STABILIZERS AND LATERAL DISPLACEMENT





SIMPLIFYING EXCAVATION

This attachment converts the skid steer loader into a real excavator suitable to reach hard-to-access places. Its incomparable 180° cushioned turn functions, two equal-power cylinders and long horizontal outreach, reduce movement during the excavation and loading cycle.

MODEL	VERSION	PART NUMBER	BUCKET WIDTH (mm.)	FEATURES
20250/A0	E30-2	482120250	No	- Controls can be operated from inside and outside the cab. - Hydraulic block control. - Hydraulic hoses set. - Versatile and fast coupling system.
20256/A0	E30-2	482120256	300 mm.	
20257/A0	E30-2	482120257	400 mm.	
20258/A0	E30-2	482120258	500 mm.	
20259/A0	E30-2	482120259	600 mm.	

Note: 600 mm. bucket for light material only.

*For better performance of Komatsu attachments, the manufacturer recommends to use 126 kg. of counterweight (Code 20110 / PN 482120110)



FORKLIFTS



EASY MOVEMENTS

Engineering applied to this Komatsu attachment provides the skid steer loader with exceptional functionality that allows it to lift and haul any load of 48 inches or 1.200 mm. has maximum width of pallet or other similar structure.

MODEL	VERSION	PART NUMBER	SIZE (mm.)	FEATURES
20122/A0	PF80	482120122	800 mm.	Manual adjustment forklifts for different sizes and 1.200 mm. maximum width.

*For better performance of Komatsu attachments, the manufacturer recommends to use 126 kg. of counterweight (Code 20110 / PN 482120110)



SWEEPERS



EFFICIENT CONFIGURATION

Thanks to its different options, this attachment converts the skid steer loader into a multifunctional equipment.

- Surface cleaning sweeper.
- Surface cleaning sweeper with collecting box.
- Surface cleaning sweeper with collecting box and water tank.
- Surface cleaning sweeper with collecting box and water tank.

The above configurations allow the watering, sweeping and cleaning tasks get done efficiently and rapidly reaching deep into hard-to-reach places.

MODEL	VERSION	PART NUMBER	BRUSH LENGTH / DIAMETER (mm.)	FEATURES
20283/A0	PS15	482120283	1.550 mm.	Collecting box
20285/A0	PS15	482120285	1.550 / 580 mm.	Collecting box side brushes
20287/A0	PS18	482120287	1.800 mm.	Collecting box
20295/A0	AB18	482120295	1.700 mm.	Angular sweeper without collecting box
20242/A0	PS15	482120242	--	Water tank kit
20243/A0	PS18	482120243	--	Water tank kit

*For better performance of Komatsu attachments, the manufacturer recommends to use 126 kg. of counterweight (Code 20110 / PN 482120110)

INCREASED LOAD CAPACITY BUCKETS



GREATER MATERIAL MOVEMENT

Due to their increased load capacity, the buckets used by this skid steer loader make its operation highly efficient in limited space areas and different applications. The buckets designed for the SK series can be used in the standard and “Super Over Flow” versions, as well as 10-16.5” narrow tires.

MODEL	VERSION	PART NUMBER	SIZE (mm.)	FEATURES
LBKT20173/A0	4B15	482120173	1.550 mm.	Front bucket
LBKT20175/A0	4B17	482120175	1.730 mm.	Front bucket
LBKT20177/A0	4B15	482120177	1.550 mm.	Toothed front bucket
LBKT20180/A0	4B17	482120180	1.730 mm.	Toothed front bucket

*For better performance of Komatsu attachments, the manufacturer recommends to use 126 kg. of counterweight (Code 20110 / PN 482120110)



DRILL BITS



LEGENDARY PRECISION

Whenever pinpoint accuracy is required for tasks such as drilling and installation of posts, pillars and trees, Komatsu has developed a range of drill bits of high quality, ultimate design and state-of-the-art technology. These tools provide greater efficiency and effectiveness for this kind of tasks, regardless the type of ground: hard, rocky and even thin layers of pavement.

MODEL	VERSION	PART NUMBER	SIZE (mm.)	FEATURES
20324/A0	AU20	482120324	200 mm.	Helical drill bit
20325/A0	AU20	482120325	250 mm.	Helical drill bit
20326/A0	AU20	482120326	300 mm.	Helical drill bit
20327/A0	AU20	482120327	350 mm.	Helical drill bit
20328/A0	AU20	482120328	400 mm.	Helical drill bit
20329/A0	AU20	482120329	200 mm.	"Heavy Duty" drill bit
20330/A0	AU20	482120330	250 mm.	"Heavy Duty" drill bit
20331/A0	AU20	482120331	300 mm.	"Heavy Duty" drill bit
20332/A0	AU20	482120332	350 mm.	"Heavy Duty" drill bit
20333/A0	AU20	482120333	400 mm.	"Heavy Duty" drill bit
20334/A0	AU20	482120334	--	500 mm. drill extension
20318/A0	AU20	482120318	--	"Quick Coupler" transfer box

*For better performance of Komatsu attachments, the manufacturer recommends to use 126 kg. of counterweight (Code 20110 / PN 482120110)

Product designs, specifications and/or data in this document are provided for informational purposes only and are not warranties of any kind. Product designs and/or specifications may be changed at any time without notice. The only warranties that apply to sales of products and services are standard written warranties, which will be furnished upon request.

Komatsu, and related logo are trademarks of Komatsu Ltd. or one of its affiliates.

© 2017 Komatsu Ltd. or one of its affiliates. All rights reserved.

KOMATSU®

For further information, contact your distributor or visit our website www.komatsulatioamerica.com

KLAT-AM004/01-2017EN

