


D65EX-16

Crawler dozer



Photos may include special equipment.

High productivity & low fuel consumption

With superior efficiency for both ripper and pushing operations, D65EX-16 is a productive, reliable, and durable machine. Less noise and vibration: D65EX-16 cab uses a damper system which provides optimum vibration and shock absorption due to its long stroke. Operator comfort translates into an efficient and more profitable operation.

D65EX-16 Crawler dozer

Main specifications

- **Komatsu engine:** SAA6D114E-3.
- **Net engine power:** 205 hp (153 kW) @ 1,950 rpm.
- **Turbocharged after-cooled diesel engine.**
- **Max. torque/Engine speed:** 8.27 lt.
- **6 cylinders in line.**
- EPA Tier 3 and EU stage 3A (equivalent) emissions certified.
- **Operating weight:** 19,950 kg. (44,000 lb).

Work equipment

- Mechanically controlled straight tilt blade (ISO 9246): 3.55 m³.
- Sigmadozer® blade (ISO 9246): 5.61 m³.
- Semi U-blade (ISO 9246): 5.61 m³.



Equipment features

- Alternator, 90 A.
- High-capacity maintenance-free batteries.
- Cab:
 - Soundproofed.
 - Complies with ROPS (ISO 3471, SAE J1040 APR88), FOPS (ISO 3449) standards.
 - Air conditioner. AM/FM radio.
 - Suspension seat.
 - Wide LCD screen.
 - Rear-view monitor.
- Cyclonic pre-filter.
- Low-height undercarriage.
- Shoes, 510 mm.
- KOMTRAX remote monitoring system.



Operating benefits

- Engine side covers, gull-wing.
- Full control by the operator by only using hand.
- Longer track length on ground.
- ROPS-integrated cab.
- Hydrostatic steering system.

New upgrade	Benefit
ROPS-integrated cab.	Increased operator safety.
Modular power train.	Reduced service time.
Longer track length on ground.	Improved wheel drive and, accordingly, higher production.
Hydrostatic steering system.	Allows for swings without losing drive.
Cyclonic pre-filter.	Increased filter life while decreasing operating costs.
Komatsu-designed and manufactured components.	Provide greater durability as well as better machine availability.



Product designs, specifications and/or data in this document are provided for informational purposes only and are not warranties of any kind. Product designs and/or specifications may be changed at any time without notice. The only warranties that apply to sales of products and services are Komatsu's standard written warranties, which will be furnished upon request.

Komatsu and other trademarks and service marks used herein are the property of Komatsu Ltd., Komatsu America Corp., Komatsu Mining Corp., or one of their affiliates, or the respective owners or licensees

KOMATSU

www.komatsulatioamerica.com

