



PC360-8M2

Hydraulic excavator



Photos may include optional equipment.

**Robustness and
power maximized to
increase production**

The development of the PC360-8M2 includes an even more powerful engine that, together with a more robust work equipment, achieves production levels aimed at customers who seek to maximize productivity.

PC360-8M2 Hydraulic excavator

Main technical information

- **Engine:** Komatsu SAA6D114E-3.
- **Net horsepower:** 202 kW/ 271 hp at 1,950 rpm.
- **Diesel turbocharged and aftercooled.**
- **Piston displacement:** 8.27 lt.
- **Number of cylinders:** 6 in-line.
- US EPA Tier III/UE Stage 3A emission certification (equivalent).
- **Operating weight:** 32,600 kg / 71,900 lb.



Work equipment

- **Bucket (SAE heaped):** 2.22 m³ at 1.8 [ton/m³]



Specifications

- Alternator, 60 [Ah].
- High-capacity, maintenance-free batteries.
- Cab:
 - Soundproof.
 - Complies with certification:
 - ROPS (ISO 12117-2)
 - OPG Level 1.
 - Air conditioning.
 - AM/FM radio.
 - Seat, suspension.
 - Sunshades.
 - The highest standards of safety and comfort.
- Cyclonic prefilter.
- Track shoes 600 [mm].
- LED work lights.
- Komtrax satellite monitoring system.



Operational benefits

- Powerful machine for severe applications.
- 2 adjustment modes for boom.
- Bucket of 2.22 m³ with teeth for extreme applications.
- Reinforced work equipment for quarry and medium mining applications.
- Service accesses designed for easy and quick equipment intervention.

New improvement	Benefits
ROPS y OPG built in cab.	Increases operator safety.
Easy access to filters.	Reduces servicing time.
Power up features.	Enables more productive operation.
Excessive idling warning.	Lowers operating cost.
Cyclonic prefilter.	Increases filter lifetime while lowering operating costs.
Komatsu designed and manufactured components.	Provides increased durability as well as increased equipment availability.



Product designs, specifications and/or data in this document are provided for informational purposes only and are not warranties of any kind. Product designs and/or specifications may be changed at any time without notice. The only warranties that apply to sales of products and services are Komatsu's standard written warranties, which will be furnished upon request.

Komatsu and other trademarks and service marks used herein are the property of Komatsu Ltd., Komatsu America Corp., Komatsu Mining Corp., or one of their affiliates, or the respective owners or licensees

KOMATSU

www.komatsulatioamerica.com

